Journal of the Neurological Sciences, 1989, 92: 353–355
Elsevier

Author Index (Vol. 92)

Adams, C.W.M., Poston, R.N., Buk, S.J.
Pathology, histochemistry and immunocytochemistry of lesions in acute multiple sclerosis, 291
Albani, M., see Hübner, C., 205
Araki, H., see Nishi, K., 65
Argentiero, V., see Gallo, P., 9
Atsumi, T., see Yoneda, M., 143

Badger, G.J., see Fillyaw, M.J., 17
Ballmann, M., see Hübner., C., 205
Blair, C.J., see Fillyaw, M.J., 17
Boerman, J., see Fillyaw, M.J., 17
Bonnefont, J.-P., see Tein, I., 229
Bozza, F., see Gallo, P., 9
Bradley, W.G., see Fillyaw, M.J., 17
Braun, S., Tranchant, C., Vilquin, J.-T., Labouret, P., Warter, J.-M. and Poindron, P.
Stimulating effects of prednisolone on acetylcholine receptor expression and myogenesis in primary culture of newborn rat muscle cells, 119
Bruylmand, M., see Herregodts, P., 101
Buk, S.J., see Adams, C.W.M., 291
Burck-Lehmann, U., see Fidziańska, A., 337
Byrne, E. and Morgan Hughes, J.A.
Prolonged aerobic exercise: physiological studies in rat gastrocnemius with additional observations on the effects of acute mitochondrial blockade, 215

Chihara, E., see Yamashita, S.-i., 267
Claussen, M., see Hübner, C., 205

Davies, C.A., see Mann, D.M.A., 247
De Keyser, J., Roos, R.A.C., Ebinger, G. and Vauquelin, G.
Lack of GTP-insensitive D_2 dopamine receptors in Huntington's disease, 329
De Keyser, J., see Herregodts, P., 101
Delacourte, A., see Flament, S., 133
Demaugre, F., see Tein, I., 229
Défossez, A., see Flament, S., 133
Défossez, A., see Mann, D.M.A., 247

Ebinger, G., see De Keyser, J., 329
Ebinger, G., see Herregodts, P., 101

Fidziańska, A., Goebel, H.H. and Burck-Lehmann, U.
Myopathic form of arthrogryposis and microcirculation lesion, 337
Fillyaw, M.J., Badger, G.J., Bradley, W.G., Tandan, R., Blair, C.J., Fries, T.J., Wilder, D.G., Boerman, J., Young, J. and Witarsa, M.
Quantitative measures of neurological function in chronic neuromuscular diseases and ataxia, 17
Flament, S., Delacourte, A., Hémon, B. and Défossez, A.
Characterization of two pathological Tau protein variants in Alzheimer brain cortices, 133
Fries, T.J., see Fillyaw, M.J., 17
Furukawa, S., see Sunohara, N., 1

Gallo, P., Piccinno, M.G., Pagni, S., Argentiero, V., Giometto, B., Bozza, F. and Tavolato, B.
Immune activation in multiple sclerosis: study of IL-2, sIL-2R, and γ-IFN levels in serum and cerebrospinal fluid, 9
Giometto, B., see Gallo, P., 9
Goebel, H.H., see Fidziańska, A., 337

Hamada, M., see Yamashita, S.-i., 267
Härkönen, M., see Mäki, T., 281
Harper, C. and Kril, J.
Patterns of neuronal loss in the cerebral cortex in chronic alcoholic patients, 81
Hashimoto, K., see Ono, S., 159
Hemachudha, T., see Tirawatnpong, S., 91
Hémon, B., see Flament, S., 133
Herregodts, P., Bruyland, M., De Keyser, J., Solheid, C., Michotte, Y. and Ebinger, G.
Monoaminergic neurotransmitters in Alzheimer's disease. An HPLC study comparing presenile familial and sporadic senile cases, 101
Horai, S., see Yoneda, M., 143

Hossmann, K.-A., see Xie, Y., 317
Hübner, C., Lindner, S.G., Albani, M., Ballmann, M., Keup, B., Schürmann, M., Stegner, H., Claussen, M. and Kohlschütter, A.
Increased plasma membrane fluidity and decreased receptor availability of nonmuscle cells in myotonic dystrophy, 205
Huygen, P.L.M., see Verhagen, W.I.M., 55

Ihara, Y., see Mann, D.M.A., 247
Ikuta, F., see Yoneda, M., 143
Iwasaki, Y., see Terunuma, H., 169

Jaros, E., see Lane, R.J.M., 307
Joosten, E.M.G., see Vehagen, W.I.M., 55

Keup, B., see Hübner, C., 205
Kinder, D.S., see Sulaiman, A.R., 37
Koga, Y., see Nonaka, I., 193
Kohlschütter, A., see Hübner, C., 205
Kondo, T., see Nishi, K., 65
Konno, H., see Terunuma, H., 169
Kontula, K., see Mäki, T., 281
Kril, J., see Harper, C., 81

Labouret, P., see Braun, S., 119
Landon, M., see Mann, D.M.A., 247
Lane, R.J.M., Watmough, N.J., Jaros, E.
Effects of tenotomy on muscle histology and energy metabolism in normal and dystrophic mice, 307
Lindlöf, M., see Mäki, T., 281
Lindner, S.G., see Hübner, C., 205

Mäki, T., Somer, H., Pihko, H., Lindlöf, M., Kontula, K. and Härkönen, M.
Lymphocytic β-adrenergic receptors in X-linked muscular dystrophy, 281
Mann, D.M.A., Prinja, D., Davies, C.A., Ihara, Y., Delacourte, A., Défossez, A., Mayer, R.J. and Landon, M.
Immunocytochemical profile of neurofibrillary tangles in Down's syndrome patients of different ages, 247
Mannen, T., see Ono, S., 159
Manutsathit, S., see Tirawatnpong, S., 91
Matsukura, S., see Yamashita, S.-i., 267
Mayer, R.J., see Mann, D.M.A., 247
McLean, B.N. and Thompson, E.J.
Antibodies against the paramyxovirus SV5 are not specific for cerebrospinal fluid from multiple sclerosis patients, 261
Michotte, Y., see Herregodts, P., 101
Miyatake, T., see Yoneda, M., 143
Morgan Hughes, J.A., see Byrne, E., 215
Mukoyama, M., see Sunohara, N. 1
Muramoto, S., see Nishi, K., 65

Narabayashi, H., see Nishi, K., 65
Nishi, K., Kondo, T., Narabayashi, H., Takubo, H., Muramoto, S., Araki, H.
Unresponsiveness to L-DOPA in parkinsonian patients: a study of homovanillic acid concentration in the cerebrospinal fluid, 65
Nishikimi, M., see Yoneda, M., 143
Nishio, T., see Sunohara, N., 1
Nishizawa, M., see Yoneda, M., 143
Nonaka, I., Koga, Y., Ohtaki, Y. and Yamamoto, M.
Tissue specificity in cytochrome *c* oxidase deficient myopathy, 193

Ohama, E., see Yoneda, M., 143
Ohara, Y., see Terunuma, H., 169
Ohtaki, Y., see Nonaka, I., 193:
Ono, S., Hashimoto, K., Shimizu, T., Mannen, T. and Toyokura, Y.
Amyotrophic lateral sclerosis: electrophoretic study of amorphous material of skin, 159
Ozawa, T., see Yoneda, M., 143

Pagni, S., see Gallo, P., 9
Pamphlett, R.
Early terminal and nodal sprouting of motor axons after botulinum toxin, 181
Phanthumchinda, K., see Tirawatnpong, S., 91
Phanuphak, P., see Tirawatnpong, S., 91
Piccino, M.G., see Gallo, P., 9
Pihko, H., see Mäki, T., 281
Poindron, P., see Braun, S., 119
Politis, M.J.
6-Aminonicotinamide selectively causes necrosis in reactive astroglia cells in vivo. Preliminary morhological observations, 71
Poston, R.N., see Adams, C.W.M., 291
Prinja, D., see Mann, D.M.A., 247

Roos, R.A.C., see De Keyser, J., 329

Satoyoshi, E., see Sunohara, N., 1
Saudubray, J.-M., see Tein, I., 229
Sawada, A., see Yamashita, S.-i., 267
Schürmann, M., see Hübner, C., 205
Seo, K., see Xie, Y., 317

Shimizu, T., see Ono, S., 159
Shuangshoti, S., see Tirawatnpong, S., 91
Solheid, C., see Herregodts, P.,101
Somer, H., see Mäki, T., 281
Stegner, H., see Hübner, C., 205
Sugimoto, S., see Yamashita, S.-i., 267
Sulaiman, A.R. and Kinder, D.S.
Vascularized muscle fibers: etiopathogenesis and clinical significance, 37
Sunohara, N., Furukawa, S., Nishio, T., Mukoyama, M. and Satoyoshi, E.
Neurotoxicity of human eosinophils towards peripheral nerves, 1
Suzuki, H., see Yoneda, M., 143

Takenaka, H., see Yamashita, S.-i., 267
Takubo, H., see Nishi, K., 65
Tanaka, K., see Yoneda, M., 143
Tandan, R., see Fillyaw, M.J., 17
Tavolato, B., see Gallo, P., 9
Tein, I., Demaugre, F., Bonnefont, J.-P. and Saudubray, J.-M.
Normal muscle CPT_1 and CPT_2 activities in hepatic presentation patients with CPT_1 deficiency in fibroblasts. Tissue specific isoforms of CPT_1?, 229
Terunuma, H., Iwasaki, Y., Tsukamoto, T., Konno, H., Yamamoto, T. and Ohara, Y.
Neurotoxic activity in HTLV-I carrier lymphocyte culture, 169
Theunissen, E.J.J.M., see Verhagen, W.I.M., 55
Thompson, E.J., see McLean, B.N., 261
Tirawatnpong, S., Hemachudha, T., Manutsathit, S., Shuangshoti, S., Phanthumchinda, K. and Phanuphak, P.
Regional distribution of rabies viral antigen in central nervous system of human encephalitic and paralytic rabies, 91
Toyokura, Y., see Ono, S., 159
Tranchant, C., see Braun, S., 119
Tsukamoto, T., see Terunuma, H., 169

Vauquelin, G., see De Keyser, J., 329
Verhagen, W.I.M., Huygen, P.L.M., Theunissen, E.J.J.M. and Joosten, E.M.G.
Hereditary vestibulo-cochlear dysfunction and vascular disorders, 55
Vilquin, J.-T., see Braun, S., 119

Warter, J.-M., see Braun, S., 119
Watmough, N.J., see Lane, R.J.M., 307
Wilder, D.G., see Fillyaw, M.J., 17
Witarsa, M., see Fillyaw, M.J., 17

Xie, Y., Seo, K. and Hossmann, K.-A.
Effect of barbiturate treatment on post-ischemic protein biosynthesis in gerbil brain, 317

Yamamoto, T., see Terunuma, H., 169
Yamamoto, T., see Nonaka, I., 193
Yamashita, S.-i., Takenaka, H., Sugimoto, S., Chihara, E., Sawada, A., Matsukura, S. and Hamada, M.
Axonal transport in *mdx* mouse sciatic nerve, 267
Yoneda, M., Tanaka, M., Nishikimi, M., Suzuki, H., Tanaka, K., Nishizawa, M., Atsumi, T., Ohama, E., Horai, S., Ikuta, F., Miyatake, T. and Ozawa, T.
Pleiotropic molecular defects in energy-transducing complexes in mitochondrial encephalomyopathy (MELAS), 143
Young, J., see Fillyaw, M.J., 17

Journal of the Neurological Sciences, 1989, 92: 356–357
Elsevier

Subject Index (Vol. 92)

Acetylcholine receptor expression, 119
Acetylcholinesterase, 261
Acute mitochondrial blockade, 215
Acute multiple sclerosis, 291
Adenylate cyclase, 281
Agonist binding, 329
Alcohol toxicity, 81
Alcoholic, 81
Alzheimer's disease, 101, 133
6-Aminonicotinamide, 71
Amorphous material, 159
Amyotrophic lateral sclerosis, 159
Antigen blotting, 261
Arthrogryposis syndrome, 337
Astroglia cells, 71
Ataxia, 17
ATP, 307
Axonal sprouting, 181
Axoplasmic transport, 267

Barbiturate, 317
Basal ganglia calcification, 143
Becker muscular dystrophy, 281
Blood–brain barrier, 291
Botulinum toxin, 181

Cardiomyopathy, 143
Carnitine palmitoyltransferase deficiency, 229
Catecholamine, 101, 281
Cerebral atrophy, 81
Cerebrospinal fluid, 65, 261
Cyclic AMP, 281
Cytochrome *c* oxidase, 193
Cytokine, 169

Delayed neuronal death, 317
Demyelination, 291
D_2 dopamine receptors, 329
L-DOPA, 65
Down's syndrome, 247
Duchenne muscular dystrophy, 281

Electrochemical detection, 101
Electron-microscopic cytochemistry, 193
Electrophoresis, 159
Encephalitis, 91
Eosinophils, 1

Fatty acid oxidation, 229

Gastrocnemius muscle, 215
Gerbils, 317
Glucocorticoid, 119
Guanine nucleotide effect, 329
Guillain-Barré syndrome, 91

Hearing loss, 55
Heart infarction, 55
Homovanillic acid, 65
HPLC, 101
HTLV-I associated myelopathy, 169
Human T-lymphotropic virus type I, 159
Huntington's disease, 329
Hypertension, 55
Hypoglycemic hypoketotic encephalopathy, 229

Immunocytochemistry, 247
Immunoglobulin G, 261
Immunoperoxidase staining, 91
γ-Interferon, 9
Interleukin-2, 9

Ketogenesis, 229

Lipids, 291
Locoregional distribution, 101
Lymphocyte membrane fluidity, 205
Lymphocytes, 291
Lymphokine, 169

Macrophages, 291
mdx mouse, 267
Mitochondrial encephalomyopathy, 143
Mitochondrial myopathy, 193
Morphometry, 81
Multiple sclerosis, 9, 261

Muscle biopsy, 193
Muscle cell culture, 119
Muscle regeneration, 267
Muscular dystrophy, 267, 307
Myogenesis (rat), 119
Myoglobinuria, 229

Necrosis, 71
Nephrotic syndrome, 143
Neurofibrillary degeneration, 133
Neurofibrillary tangles, 247
Neurological function, 17
Neuromuscular disease(s), 17, 37
Neuronal counts, 81
Neurotoxicity, 1
Node of Ranvier, 181

Optic nerve, 71
Oscillopsia, 55

Paired helical filaments, 133
Paralysis, 91
Parkinson's disease, 65
Pathogenesis, 307
Peripheral nerves, 1
Phosphate creatine kinase, 307
Phosphocreatine, 307
Phosphorylation, 133
Physiological study, 215
Platelet aggregation, 337
Platelet membrane fluidity, 205
Polymyositis, 281
Post-ischemic cerebral protein biosynthesis, 317
Prolonged aerobic exercise, 215
12.5 kDa protein, 159
Pseudohypoparathryroidism, 143

Quantitative measures, 17

Rabies, 91
Raphe nuclei, 101
Receptor-membrane interaction, 205
Reliability, 17

Serotonin, 101
Simian virus 5, 261
Skin, 159
Soluble interleukin-2 receptor, 9
Spinal muscular atrophy, 281
Striatonigral degeneration, 65
Striatum, 329
Stroke, 55

Target cramps, 37
Tau proteins, 133
Terminal axon, 181
Tissue specificity, 193
Tropical spastic paraparesis, 169

Vascular damage, 337
Vascularized muscle fibers, 37
Vasculitis, 291
Vasoactive intestinal peptide, 205
Vasopressin, 205
Vestibular dysfunction, 55